


Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of claims:

1-185. (Cancelled)

186. (Previously Presented) Mesogens having the following formula:



wherein

X is a polymerizable group,

Y consists essentially of an amino group;

R² is selected from the group consisting of t-butyl groups, isopropyl groups, and secondary butyl groups; and

R¹ and R³ are selected from the group consisting of hydrogen and a methyl group.

187. (Previously Presented) The mesogens of claim 186 wherein said polymerizable groups have polymerizable unsaturated carbon-carbon bond.

188. (Previously Presented) The mesogens of claim 186 wherein said polymerizable groups are selected from the group consisting of acryloyloxy alkoxy groups and methacryloyloxy alkoxy groups having alkyl moiety with from 2 to 12 carbon atoms.

189. (Previously Presented) The mesogens of claim 188 wherein said alkyl moiety consists essentially of from 2 to 12 carbon atoms and CH₂ groups optionally are

substituted by groups selected from the group consisting of oxygen, sulfur, and ester groups; provided that from 2 to 12 carbon atoms separate said oxygen from said ester groups.

190. (Previously Presented) The mesogens of claim 189 wherein said alkyl moiety consists essentially of a total of from 2 to 9 carbon atoms.

191. (Previously Presented) The mesogens of claim 189 wherein said alkyl moiety consists essentially of a total of from 2 to 6 carbon atoms.

192-195. (Cancelled)

196. (Previously Presented) The mesogens of claim 186 wherein one or more members selected from the group consisting of X and Y is a cinnamoyloxy group.

197-198. (Cancelled)

199. (Previously Presented) Mesogens having the following formula:



wherein

X is a polymerizable group selected from the group consisting of acryloyloxy alkoxy groups and methacryloyloxy alkoxy groups having alkyl moiety with from 2 to 12 carbon atoms;

Y consists essentially of an amino group;

R² is selected from the group consisting of alkyl groups having from about 1 to 6 carbon atoms and aryl groups; and

R¹ and R³ are selected from the group consisting of hydrogen and a methyl group.

200. (Cancelled)

201. (Previously Presented) The mesogens of claim 199 wherein said alkyl moiety consists essentially of from 2 to 12 carbon atoms and CH₂ groups optionally are substituted by groups selected from the group consisting of oxygen, sulfur, and ester groups; provided that from 2 to 12 carbon atoms separate said oxygen from said ester groups.


202. (Previously Presented) The mesogens of claim 201 wherein said alkyl moiety consists essentially of a total of from 2 to 9 carbon atoms.

203. (Previously Presented) The mesogens of claim 201 wherein said alkyl moiety consists essentially of a total of from 2 to 6 carbon atoms.


204-207. (Cancelled)

208. (Currently Amended) The mesogens of claim ~~204~~199 wherein one or more members selected from the group consisting of X and Y is cinnamoyloxy group.

209. (Currently Amended) Mesogens having the following formula:



wherein X and Y independently are selected from the group consisting of spacer groups, polymerizable groups, and combinations thereof, wherein one or more members selected from the group consisting of X and Y have the following structure:



wherein Z is selected from the group consisting of spacer groups, terminal functionalities, polymerizable groups, and combinations thereof, said spacer groups being

selected from the group consisting of H-(CH₂)_n-O- groups, Cl(CH₂)_n-O- groups, Br(CH₂)_n-O- groups, I(CH₂)_n-O- groups, wherein n is from about 2 to about 12 wherein the CH₂ groups independently can be substituted by oxygen, sulfur, or an ester group; provided that from 2 to 12 carbon atoms separate said oxygen or said ester group;

R² is selected from the group consisting of alkyl groups having from 1 to 6 carbon atoms and aryl groups; and

R¹ and R³ are selected from the group consisting of hydrogen and a methyl group.

210. (Previously Presented) The mesogens of claim 209 wherein X and Y further consist essentially of functionalities independently selected from the group consisting of hydroxyl groups, amino groups, and sulfhydryl groups.

211. (Previously Presented) The mesogens of claim 210 wherein n is from about 2 to 9.

212. (Currently Amended) The mesogens of claim 210 wherein n is from about 2 to 6.

213. (Currently Amended) The mesogens of claim 209 wherein said polymerizable groups have an alkyl moiety having a polymerizable unsaturated carbon-carbon bond.

214. (Currently Amended) The mesogens of claim 210 wherein said polymerizable groups have an alkyl moiety having a polymerizable unsaturated carbon-carbon bond.

215. (Currently Amended) The mesogens of claim ~~214~~ 213 wherein said alkyl moiety has from 2 to 9 carbon atoms.

216. (Currently Amended) The mesogens of claim ~~214~~ 213 wherein said alkyl moiety has from 2 to 6 carbon atoms.

217. (Previously Presented) The mesogens of claim 209 wherein R^2 is selected from the group consisting of methyl groups, t-butyl groups, isopropyl groups, secondary butyl groups, and phenyl groups.

218. (Previously Presented) The mesogens of claim 210 wherein R^2 is selected from the group consisting of methyl groups, t-butyl groups, isopropyl groups, secondary butyl groups, and phenyl groups.

219. (Previously Presented) The mesogens of claim 213 wherein R^2 is selected from the group consisting of methyl groups, t-butyl groups, isopropyl groups, secondary butyl groups, and phenyl groups.

220. (Previously Presented) The mesogens of claim 214 wherein R^2 is selected from the group consisting of methyl groups, t-butyl groups, isopropyl groups, secondary butyl groups, and phenyl groups.

221. (Previously Presented) The mesogens of claim 216 wherein R^2 is selected from the group consisting of methyl groups, t-butyl groups, isopropyl groups, secondary butyl groups, and phenyl groups.

222-223. (Cancelled)

224. (Currently Amended) The mesogens of claim 220 wherein R R^1 and R^3 are selected from the group consisting of hydrogen and a methyl group.

225. (Currently Amended) The mesogens of claim 221 wherein R R^1 and R^3 are selected from the group consisting of hydrogen and a methyl group.

226. (Currently Amended) The mesogens of claim 209 wherein one or more members selected from the group consisting of X and Y is a cinnamoyloxy group.

227. (Currently Amended) The mesogens of claim 217 wherein one or more members selected from the group consisting of X and Y is a cinnamoyloxy group.

228. (Currently Amended) The mesogens of claim 221 wherein one or more members selected from the group consisting of X and Y is a cinnamoyloxy group.